




## **MAXFIT** *Metal Drawer*

# Contribute the style and efficiency

*to your office storage system*


- ☐ Designed for today's office system, cabinets, RTA, and ☐ home office furniture.
- ☐ Tool-free front attachment.
- ☐ Practical and hassle-free design ensuring the drawer run ☐ smoothly and quietly.
- ☐ Assembling is quick and simple.
- ☐ Most importantly quality proven and durable enough ☐ to withstand the heavy needs of every office.



**Q-FIT**™

MAXFIT - MDO 75S

Metal Drawer - Single Extension



One set Maxfit Metal Drawer consists of

- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R
- 3 Bottom Panel Support
- 4 Front Locking Connector
- 5 Metal Back

Article no. for Metal Back

Drawer Back	Article No.	Internal Cabinet Width
350mm	75DB35/_	368mm
400mm	75DB40/_	426mm
450mm	75DB45/_	476mm
500mm	75DB50/_	526mm
550mm	75DB55/_	576mm

R9010 White  
R9001 Cream  
R9006 Grey Metallic

10 pieces

- Article no. for
- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R

Drawer Length	Article No.
350mm	75SP35/_
400mm	75SP40/_
450mm	75SP45/_
500mm	75SP50/_
550mm	75SP55/_


R9010 White  
R9001 Cream  
R9006 Grey Metallic

10 sets




- Metal drawer side panels 75mm
- Single extension
- 3mm bottom panel
- Tool-free drawer front attachment
- Vertical adjustment ±3
- Screw-on drawer front (alternative)
- Load capacity of 25 kgs
- Self closing feature
- Double out-stop
- Locked in position when extended
- Epoxy powder treatment

Front Installation Dimensions



Carcass Member Drillings


Carcass Member Drilling Pattern




Carcass Member Drilling Positions

Drawer length	Min. Internal cabinet depth.	Extension loss
350mm	363mm	87mm
400mm	413mm	96mm
450mm	463mm	100mm
500mm	513mm	107mm
550mm	563mm	113mm

Bottom Panel Cutting Dimensions




Accessories




Bottom Panel Support :

- Article No. □ : BPS 01
- Color □ : Grey
- Diameter □ : ø10mm




Stop Lock :

- Article No. □ : SL 01
- Finishing □ : Nickel plated



Front Locking Connector :

- Article No. □ : FLC 01
- Color □ : Grey
- Diameter □ : ø10mm



Pencil Tray for foolscap width:


- Article No. □ : PT 01
- Color □ : Black & Grey



# MAXFIT - MDO 107S

Metal Drawer - Single Extension

Q-FIT™



## One set Maxfit Metal Drawer consists of

- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R
- 3 Bottom Panel Support
- 4 Front Locking Connector
- 5 Metal Back

## Article no. for Metal Back

Drawer Back	Article No.	Internal Cabinet Width
350mm	107DB35/_	368mm
400mm	107DB40/_	426mm
450mm	107DB45/_	476mm
500mm	107DB50/_	526mm
550mm	107DB55/_	576mm

R9010 White  
R9001 Cream  
R9006 Grey Metallic

10 pieces

## Article no. for

- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R

Drawer Length	Article No.
350mm	107SP35/_
400mm	107SP40/_
450mm	107SP45/_
500mm	107SP50/_
550mm	107SP55/_


10 sets

R9010 White  
R9001 Cream  
R9006 Grey Metallic




- Metal drawer side panels 107mm
- Single extension
- 3mm bottom panel
- Tool-free drawer front attachment
- Vertical adjustment  $\pm 3$
- Screw-on drawer front (alternative)
- Load capacity of 25 kgs
- Self closing feature
- Double out-stop
- Locked in position when extended
- Epoxy powder treatment

## Front Installation Dimensions



## Carcass Member Drillings


### Carcass Member Drilling Pattern




### Carcass Member Drilling Positions

Drawer length	Min. Internal cabinet depth	Extension loss
350mm	363mm	87mm
400mm	413mm	96mm
450mm	463mm	100mm
500mm	513mm	107mm
550mm	563mm	113mm

## Bottom Panel Cutting Dimensions




## Accessories




### Bottom Panel Support :

Article No. □ : BPS 01  
Color □ : Grey  
Diameter □ : ø10mm




### Stop Lock :

Article No. □ : SL 01  
Finishing □ : Nickel plated



### Front Locking Connector :

Article No. □ : FLC 01  
Color □ : Grey  
Diameter □ : ø10mm




### Pencil Tray for foolscap width:

Article No. □ : PT 01  
Color □ : Black & Grey

# MAXFIT - MDO 139S

Metal Drawer - Single Extension

Q-FIT™



## One set Maxfit Metal Drawer consists of

- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R
- 3 Bottom Panel Support
- 4 Front Locking Connector
- 5 Metal Back

## Article no. for Metal Back

Drawer Back	Article No.	Internal Cabinet Width
350mm	139DB35/_	368mm
400mm	139DB40/_	426mm
450mm	139DB45/_	476mm
500mm	139DB50/_	526mm
550mm	139DB55/_	576mm

R9010 White  
R9001 Cream  
R9006 Grey Metallic

10 pieces

## Article no. for

- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R

Drawer Length	Article No.
350mm	139SP35/_
400mm	139SP40/_
450mm	139SP45/_
500mm	139SP50/_
550mm	139SP55/_


5 sets

R9010 White  
R9001 Cream  
R9006 Grey Metallic




- Metal drawer side panels 139mm
- Single extension
- 3mm bottom panel
- Tool-free drawer front attachment
- Vertical adjustment  $\pm 3$
- Screw-on drawer front (alternative)
- Load capacity of 25 kgs
- Self closing feature
- Double out-stop
- Locked in position when extended
- Epoxy powder treatment

## Front Installation Dimensions



## Carcass Member Drillings


### Carcass Member Drilling Pattern




### Carcass Member Drilling Positions

Drawer length	Min. Internal cabinet depth	Extension loss
350mm	363mm	87mm
400mm	413mm	96mm
450mm	463mm	100mm
500mm	513mm	107mm
550mm	563mm	113mm

## Bottom Panel Cutting Dimensions




## Accessories




### Bottom Panel Support :

Article No. □ : BPS 01  
Color □ : Grey  
Diameter □ : ø10mm




### Stop Lock :

Article No. □ : SL 01  
Finishing □ : Nickel plated



### Front Locking Connector :

Article No. □ : FLC 01  
Color □ : Grey  
Diameter □ : ø10mm




### Pencil Tray for foolscap width:

Article No. □ : PT 01  
Color □ : Black & Grey

MAXFIT - MDO 203S

Metal Drawer - Single Extension



One set Maxfit Metal Drawer consists of

- 1 Drawer Slides CR & CL
- 2 Metal Drawer Sides L & R
- 3 Bottom Panel Support
- 4 Front Locking Connector
- 5 Metal Back

Article no. for Metal Back

Drawer Back	Article No.	Internal Cabinet Width
350mm	203DB35/_	368mm
400mm	203DB40/_	426mm
450mm	203DB45/_	476mm
500mm	203DB50/_	526mm
550mm	203DB55/_	576mm

R9010 White  
R9001 Cream  
R9006 Grey Metallic

10 pieces

Article no. for  
1 Drawer Slides CR & CL  
2 Metal Drawer Sides L & R

Drawer Length	Article No.
350mm	203SP35/_
400mm	203SP40/_
450mm	203SP45/_
500mm	203SP50/_
550mm	203SP55/_


5 sets

R9010 White  
R9001 Cream  
R9006 Grey Metallic




- Metal drawer side panels 203mm
- Single extension
- 3mm bottom panel
- Tool-free drawer front attachment
- Vertical adjustment ±3
- Screw-on drawer front (alternative)
- Load capacity of 25 kgs
- Self closing feature
- Double out-stop
- Locked in position when extended
- Epoxy powder treatment

Front Installation Dimensions



Carcass Member Drillings


Carcass Member Drilling Pattern




Carcass Member Drilling Positions

Drawer length	Min. Internal cabinet depth	Extension loss
350mm	363mm	87mm
400mm	413mm	96mm
450mm	463mm	100mm
500mm	513mm	107mm
550mm	563mm	113mm


Bottom Panel Cutting Dimensions




Accessories




Bottom Panel Support :  
Article No. □ : BPS 01  
Color □ : Grey  
Diameter □ : ø10mm



Stop Lock :  
Article No. □ : SL 01  
Finishing □ : Nickel plated



Front Locking Connector :  
Article No. □ : FLC 01  
Color □ : Grey  
Diameter □ : ø10mm




Pencil Tray for foolscap width:  
Article No. □ : PT 01  
Color □ : Black & Grey



# MAXFIT - Filing System

MDO-75S, MDO-107S, MDO-139S, MDO-203S

Q-FIT™



- Metal drawer side panels 75mm, 107mm, 139mm, 203mm.
- Single extension
- 3mm bottom panel
- Tool-free drawer front attachment
- Vertical adjustment  $\pm 3$
- Screw-on drawer front (alternative)
- Load capacity of 25 kgs
- Self closing feature
- Double out-stop
- Locked in position when extended
- Epoxy powder treatment

## One set Maxfit Filing System consists of

### 1 File Railing

Drawer Length	Article No.
400mm	FR 405/_
450mm	FR 455/_
500mm	FR 505/_
555mm	FR 555/_

R9006  
Grey Metallic

### 2 Front Connector

Article No.	Colour
FFC 01/_	Grey

40 sets

### 3 Rear Connector

Article No.	Colour
FRC 02/_	Grey


### 4 File Metal Back

Drawer Length	Article No.
400mm	254DB40/_

10 pieces

R9010 White  
R9001 Cream  
R9006 Grey Metallic


## Front Installation Dimension




## Carcass Member Drilling Position

### Carcass Member Drilling Pattern

For  $\phi 3.5$ mm chipboard screws with 7mm dia. head





For  $\phi 4.0$ mm chipboard screws or standard euro screws with 8mm dia. head




### Carcass Member Drilling Positions

Drawer length	Min. Internal cabinet depth.	Extension loss
350mm	363mm	87mm
400mm	413mm	96mm
450mm	463mm	100mm
500mm	513mm	107mm
550mm	563mm	113mm


## Bottom Panel Cutting Dimension




Drawer Front Assembly




Drawer Assembly - Metal Back



Drawer Assembly - Wooden Back



File Railing Assembly



Drawer Runner 8863



- Single extension
- Self closing feature
- Load capacity of 25 kgs
- Double out-stop
- Locked in position when extended
- Epoxy powder coated

Drawer length	Article No.
250mm	QF8863/25/_
300mm	QF8863/30/_
350mm	QF8863/35/_
400mm	QF8863/40/_
450mm	QF8863/45/_
500mm	QF8863/50/_
550mm	QF8863/55/_
600mm	QF8863/60/_

25 sets /100 pieces

R9010 White  
R9001 Cream  
R9017 Black

Drawer Runner with Silent Wheel 8868




- Single extension
- Self closing feature
- Load capacity of 25 kgs
- Double out-stop
- Locked in position when extended
- Epoxy powder coated

Drawer length	Article No.
250mm	QF8868/25/_
300mm	QF8868/30/_
350mm	QF8868/35/_
400mm	QF8868/40/_
450mm	QF8868/45/_
500mm	QF8868/50/_
550mm	QF8868/55/_
600mm	QF8868/60/_

25 sets /100 pieces


R9010 White  
R9001 Cream

Carcass Member Drilling Position



Drawer length	Min.internal cabinet width	Extensive loss
250mm	253mm	87mm
300mm	303mm	87mm
350mm	353mm	87mm
400mm	403mm	90mm
450mm	453mm	95mm
500mm	503mm	107mm
550mm	553mm	113mm
600mm	603mm	117mm





Manufacturer :  
Office & Factory Address

**Q-FIT SDN BHD** (521895-P)

16, Jalan Kilang 2, Kawasan Perindustrian Jelapang, 30100 Ipoh, Perak, Malaysia.

Tel : 605-5268863 • Fax : 605-5279863 • E-mail : [qfit@po.jaring.my](mailto:qfit@po.jaring.my) • Homepage : [www.qfitsb.com](http://www.qfitsb.com)