



Opti-motionTM
Wooden Drawer Systems

Q-FIT[®]



Opti-motion™

The Motion....

Opti-motion,
your choice of
speed and velocity's for your
wooden drawer system.

Virtually Invisible...

- Concealed & hidden assembly.
- Available in both single and full extension.

Flexibility & Tolerance Build-in

- Easy removal /installation with front locking device system.
- Tolerance built up for height and side adjustment without dismounting the drawers. Flexible on material thickness up to Max 16mm.

Impul...

- Integrated with soft close damper systems for a silent and soft close motion. Be it a distraction or accidental force.



Performance

- Synchronization slides for smooth & silent operation. Perfect undermount slides perform excellent sliding action for wooden drawer systems serve the needs of today's cabinetry's demand.
- Length : 250mm - 600mm
- Travel : Single & Full Extension
- Maximum Material Thickness : 16mm
- Load capacity of 30kgs
- Undermounted / Concealed
- Easy Removal / Fitting with front locking device
+/-1.5mm side adjustment & +3.0mm height adjustment
- Intergrated **Impul** for a silent & soft closing motion






Single Extension



Full Extension




Railing Extension




1		Cabinet Profile		
		Drawer Length		
		Single Extension	Full Extension	
		with soft close	with soft close	
		250mm	M1.25H	M2.25H
		300mm	M1.30H	M2.30H
		350mm	M1.35H	M2.35H
		400mm	M1.40H	M2.40H
		450mm	M1.45H	M2.45H
		500mm	M1.50H	M2.50H
		550mm	M1.55H	M2.55H
		600mm	M1.60H	M2.60H

2		Front Locking Device Left / Right	
		Left	MFL.510LH
		Right	MFL.510RH


Runner Fixing Positions



Installation Specifications : (A) Side View




Installation Specifications : (B) Front View




*NOTE : Because material thickness may vary, make sure IDW = ICW-42mm to run align

Front Locking Device Installation





Drawer Back Preparation





Assembly & Adjustment

Installation & Removal Drawer



Installation



Removal



Locking Device Screw Position



Manufacturer :

Office & Factory Address

Q-FIT SDN BHD

(521895-P)

No 3, Jalan Industri 1,

Off Jalan Jelapang,

30020 Ipoh, Perak, Malaysia.

Tel : 605 - 526 8863

Fax : 605 - 527 9863

E-mail : info@qfitsb.com

Homepage : www.qfitsb.com

*Technical feature of the products could be subject
to modifications without prior notice*

Q-FIT[®]