




THE
S-Plus
by **Q-FIT**[®]
Slim. Modern. Spacious

Embark on the journey of **MINIMALIST** concept with our slimmest drawer featuring a unique design and a one-piece steel drawer side. The minimalist profile, super slim yet remarkably strong, adds an elegant touch to any space, combining style with durability for a clutter-free and sophisticated solution.



Cost-Effective & Realistic

Enhance efficiency across the board with our slimness drawer, engineered to reduce workmanship in wooden systems, minimize drawer weight, and cut down on logistical costs for a streamlined and cost-effective solution.

Flexibility

Experience unmatched versatility with our slimness drawer, offering flexibility to match seamlessly with any undermount slide and the freedom to apply it to various board thicknesses.

Tailor your space with flexibility, choose from three heights and lengths up to 600mm for versatile applications.

Height Options:

90

128

175


Length Options:

250_{mm}-600_{mm}



Increase the maximum height with the addition of an extra rectangular gallery set.

Available for
Internal Drawer



More Spacious

Maximize your drawer's storage capacity with an expanded space that boasts a remarkable 22mm increase, ensuring ample room for all your belongings.





2 Way Adjustment

Enjoy precise customization with our slimness drawer's adjustment features, allowing left/right adjustments of +/-2.0mm for a perfect fit in any space.

With 3 Finished Standard Color

Choose the perfect hue to match your preferences and enhance the aesthetic of your surroundings.




Works perfectly with
Opti-motion®
undermount slide

Synchronization slides for a smooth & silent operation. Integrated **Impul** soft close damper systems for a silent and soft close motion. Be it a distraction or accident force.




SOFT CLOSE



FULL EXTENSION









WT. CARRYING
CAPACITY




DUAL-SYNCHRO




	Page		Page
S-Plus 90 Standard Drawer		S-Plus Gallery System	
S-Plus Standard Drawer (Height 90mm) S+ 90	 6	S-Plus Gallery System	 12
S-Plus 128 Standard Drawer		S-Plus Internal Drawer	
S-Plus Standard Drawer (Height 128mm) S+ 128	 8	S-Plus Internal Drawer	 14
S-Plus 175 Standard Drawer		S-Plus Glass Drawer	
S-Plus Standard Drawer (Height 175mm) S+ 175	 10	S-Plus Glass Drawer	 16
Assembly, Removal & Adjustment		18	


S+ Drawer Series


S+ 90 Standard Drawer



- Single wall metal side
- Steel drawer side H90mm
- Length : 300mm-550mm
- Left / Right adjustment : +/-2.0mm
- Apply with **Opti-motion®** synchronized undermount soft close slide - M2 series / M1 series

1		Opti-motion Full Extension Slide With Soft Close, Left / Right
Drawer Length		Full Extension
		with soft close
300mm		M2.30
350mm		M2.35
400mm		M2.40
450mm		M2.45
500mm		M2.50
550mm		M2.55


3		S-Plus Super Slim Panel Left / Right
Drawer Length		
300mm		S+90/30
350mm		S+90/35
400mm		S+90/40
450mm		S+90/45
500mm		S+90/50
550mm		S+90/55

2		Front Locking Device Left / Right (For Slides)
Left		MFL.530LH
Right		MFL.530RH


4		Cover Cap Left / Right
		SP72 (2X)

Color	R9010 White • R7011 Shadow Grey • R7021 Anthracite Grey
-------	--


Front Installation Dimensions




Back Installation Dimensions



Front Locking Device Installation





Cutting Dimensions For 16mm Board



* ICW = INTERNAL CABINET WIDTH * BT = BOARD THICKNESS * NL = NOMINAL LENGTH


Cabinet Runner Fixing Positions

Runner Close-Up



S+ Drawer Series

S+ 128 Standard Drawer



- Single wall metal side
- Steel drawer side H128mm
- Length : 300mm-550mm
- Left / Right adjustment : +/-2.0mm
- Apply with **Opti-motion®** synchronized undermount soft close slide - M2 series / M1 series

1	Opti-motion Full Extension Slide With Soft Close, Left / Right
Drawer Length	Full Extension
	with soft close
300mm	M2.30
350mm	M2.35
400mm	M2.40
450mm	M2.45
500mm	M2.50
550mm	M2.55


3	S-Plus Super Slim Panel Left / Right
Drawer Length	
300mm	S+128/30
350mm	S+128/35
400mm	S+128/40
450mm	S+128/45
500mm	S+128/50
550mm	S+128/55

2	Front Locking Device Left / Right (For Slides)
Left	MFL.530LH
Right	MFL.530RH


4	Cover Cap Left / Right
	SP72 (2X)

Color	R9010 White • R7011 Shadow Grey • R7021 Anthracite Grey
-------	--


Front Installation Dimensions




Back Installation Dimensions



Front Locking Device Installation





Cutting Dimensions For 16mm Board




* ICW = INTERNAL CABINET WIDTH * BT = BOARD THICKNESS * NL = NOMINAL LENGTH

Cabinet Runner Fixing Positions





S+ Drawer Series


S+ 175 Standard Drawer



- Single wall metal side
- Steel drawer side H175mm
- Length : 300mm-550mm
- Left / Right adjustment : +/-2.0mm
- Apply with **Opti-motion®** synchronized undermount soft close slide - M2 series / M1 series

1		Opti-motion Full Extension Slide With Soft Close, Left / Right
Drawer Length		Full Extension
		with soft close
300mm		M2.30
350mm		M2.35
400mm		M2.40
450mm		M2.45
500mm		M2.50
550mm		M2.55


3		S-Plus Super Slim Panel Left / Right
Drawer Length		
300mm		S+175/30
350mm		S+175/35
400mm		S+175/40
450mm		S+175/45
500mm		S+175/50
550mm		S+175/55

2		Front Locking Device Left / Right (For Slides)
Left		MFL.530LH
Right		MFL.530RH


4		Cover Cap Left / Right
		SP72 (2X)

Color	R9010 White • R7011 Shadow Grey • R7021 Anthracite Grey
-------	--


Front Installation Dimensions




Back Installation Dimensions



Front Locking Device Installation





Cutting Dimensions For 16mm Board



* ICW = INTERNAL CABINET WIDTH * BT = BOARD THICKNESS * NL = NOMINAL LENGTH


Cabinet Runner Fixing Positions

Runner Close-Up



S+ Drawer Series

Gallery System




- Single wall metal side
- Suitable for S+90, S+128, S+175
- Length : 300mm-550mm
- Gallery height can be extendable
- Apply with **Opti-motion®** synchronized undermount soft close slide - M2 series / M1 series

1		Opti-motion Full Extension Slide With Soft Close, Left / Right
Drawer Length		Full Extension
		with soft close
300mm		M2.30
350mm		M2.35
400mm		M2.40
450mm		M2.45
500mm		M2.50
550mm		M2.55
2		Front Locking Device Left / Right (For Slides)
Left		MFL.530LH
Right		MFL.530RH
3		S-Plus Super Slim Panel Left / Right
Drawer Length		Suitable For S+90 / S+128 / S+175
		Refer Page 6-11

4		Cover Cap Left / Right
		SP72 (2X)
5		Gallery Rail Left / Right
Drawer Length		
300mm		RS+300 LH/RH
350mm		RS+350 LH/RH
400mm		RS+400 LH/RH
450mm		RS+450 LH/RH
500mm		RS+500 LH/RH
550mm		RS+550 LH/RH
Color		R9010 White • R7011 Shadow Grey • R7021 Anthracite Grey


Front Installation Dimensions

S+ H90 & Railing




Back Installation Dimensions


S+ H90 & Railing




S+ H128 & Railing




S+ H128 & Railing



S+ H175 & Railing




S+ H175 & Railing




* ICW = INTERNAL CABINET WIDTH


* Gallery height can be extendable accordingly.


S+ IF90
Internal Drawer





- Single wall metal side
- Steel drawer side H90mm
- Length : 300mm-550mm
- Left / Right adjustment : +/-2.0mm
- Apply with **Opti-motion®** synchronized undermount soft close slide - M2 series / M1 series


1		Opti-motion Full Extension Slide With Soft Close, Left / Right
Drawer Length		Full Extension
		with soft close
300mm		M2.30
350mm		M2.35
400mm		M2.40
450mm		M2.45
500mm		M2.50
550mm		M2.55


2		Front Locking Device Left / Right (For Slides)
Left		MFL.530LH
Right		MFL.530RH

3		S-Plus Super Slim Panel Left / Right
Drawer Length		
300mm		S+90/30
350mm		S+90/35
400mm		S+90/40
450mm		S+90/45
500mm		S+90/50
550mm		S+90/55

4		Cover Cap Left / Right
		SP72 (2X)


5		Internal Front Fixing Bracket Left / Right
		SP73 LH/RH

6		Internal Front Profile
1000mm		MCD 1000L
(Front profile to be cutting in size)		


7		Bottom Panel Support
		SP74

Color	R9010 White • R7011 Shadow Grey • R7021 Anthracite Grey
-------	--


Front Installation Dimensions




Back Installation Dimensions



Cutting Dimensions For Internal Front Profile




Cutting Dimensions For 16mm Board





* ICW = INTERNAL CABINET WIDTH * BT = BOARD THICKNESS * NL = NOMINAL LENGTH

Installation Specifications : Side View




Cabinet Runner Fixing Positions



S+ DRAWER SERIES

Glass System



- Single wall metal side
- Suitable for S+90, S+128, S+175
- Length : 300mm-550mm
- Left / Right adjustment : +/-2.0mm
- Apply with **Opti-motion®** synchronized undermount soft close slide - M2 series / M1 series

1	Opti-motion Full Extension Slide With Soft Close, Left / Right
Drawer Length	Full Extension
	with soft close
300mm	M2.30
350mm	M2.35
400mm	M2.40
450mm	M2.45
500mm	M2.50
550mm	M2.55

2	Front Locking Device Left / Right (For Slides)
Left	MFL.530LH
Right	MFL.530RH


3	S-Plus Super Slim Panel Left / Right
Drawer Length suitable for S+90/S+128/S+175	
Color	R9010 White • R7011 Shadow Grey • R7021 Anthracite Grey

4	Cover Cap Left / Right
	SP72 (2X)


5	Tempered Glass Left / Right
Drawer Length	
300mm	GS+300
350mm	GS+350
400mm	GS+400
450mm	GS+450
500mm	GS+500
550mm	GS+550

Cutting Dimensions for 4mm Tempered Glass





Bottom Panel Assembly






Back Assembly



Front Assembly




Adjustment Direction & Tolerance





Cover Cap Assembly & Removal

Railing Assembly



Side & Height Adjustment



Q-FIT[®]

Manufacturer : Office & Factory Address

Q-FIT SDN BHD (521895-P)

📍 No 3, Jalan Industri 1, Off Jalan Jelapang, 30020 Ipoh Perak, Malaysia.

☎ +605-526 8863 / +605-527 9862

📠 +605-527 9863

✉ info@qfitsb.com

🌐 www.qfitsb.com



Technical feature of the products could be subject to modifications without prior notice